


DECK INSTALLATION INSTRUCTIONS: WATERPROOF CONCRETE SURFACE APPLICATION

ENSURE THAT YOUR WELD IS SECURE AT THIS POINT.




1

ASSEMBLING YOUR STRUCTURE FOOTING TO SUPPORT YOUR BEAMS: Steel base plates are required to start this decking installation. Base plates vary in size as the height of the deck increases. **NOTE: Fishers Decking does not drill into waterproof surfaces**

WELDING C-CHANNEL TO BASE PLATE: Ensure that your welds are secure and a rust primer is applied to all welds.

COMPRESSION RUBBER




2

LAYOUT FOR COMPRESSION RUBBER

COMPRESSION RUBBER LAYOUT: Lay and bond your 6mm compression rubber using a waterproof adhesive where the base plates will be situated. Ensure compression rubber exceeds base plate size by at least 25mm all the way around. Once the deck structure and planks have been fitted, everything will stay in place under its own weight.


DECK INSTALLATION INSTRUCTIONS: WATERPROOF CONCRETE SURFACE APPLICATION

3



VERTICAL FOOTINGS FOR GRID LAYOUT: The support footings must be spaced out at a maximum of 1 meter apart as shown in the diagram.


4



WELDING BEARER SUPPORTS: Weld lipped channel beams to the vertical footings at a distance specified (not wider than 1 meter apart). These bearers will be the support for the joisting to create the grid to which the deck planks will be fitted.

DECK INSTALLATION INSTRUCTIONS: WATERPROOF CONCRETE SURFACE APPLICATION


5



JOIST SPACING
300mm COMMERCIAL
350mm RESIDENTIAL.

BUILDING THE SUPPORT JOIST GRID: Running in the opposite direction to your support bearers, one adds the joists. Importantly, on a residential installation, 350mm spacing between joists and on a commercial installation, 300mm spacing between joists. The joists are also the lightweight C-channel, supplied by Fishers Decking. Ensure all welds are secure and primed.

6



LAY YOUR DECKING PLANKS to secure, rigid joists using the supplied Fishers Decking clip and screw.



QUALITY COMPOSITE WOOD PRODUCTS
Decking, Wall Cladding, Fluted Wall Panelling,
Pergolas, Balustrades, Gates, Screens, and
Stone Plastic Composite Flooring (SPC)

010 500 0963 | gary@fishersdecking.co.za
www.fishersdecking.co.za